


# PRENTISS' *Patent Vises,*

SELF-ADJUSTING JAW,  
WITH  
Stationary or Patent Swivel Bottom.



FOR SALE BY

**GEO. WORTHINGTON & CO.**

WHOLESALE DEALERS IN


Hardware, Iron, Nails and Metals, Carriage  
and Harness Hardware,

**90 & 92 WATER STREET,**

**CLEVELAND, OHIO.**


# THE "PEERLESS" (S

(Under Letters Patent dated Feb



"PEERLESS" (SWIVEL) PIPE GRIP.

The above cuts present views of our new *Swivel Jaw* object held may require, thereby obviating all loss of time i enables the operator to hold *short pipes, couplings, thin* It is manufactured with best *Tool Steel Holding Bits*, whenever required. **INTERCHANGEABLE**, and all




SECTIONAL VIEW OF PRENTISS PAT. VISE.

The *Back Jaw* of Prentiss' Patent Vise is *adjustabl* *adjusting itself* to and making firm the object held, whet Swivel Bottom is fully as strong as the stationary or solid b *or left*, at will of operator, by simply raising ratchet pin B (a


# Swivel Jaw) PIPE GRIP,

(Patented Jan. 4, 1879; Aug. 17, 1880; Jan. 24, 1882.)



"PEERLESS" (SWIVEL) PIPE GRIP.

*Pipe Grip*, which readily adjusts itself to whatever angle the pipe is to be held. It also adjusts the adjustment of rests or bearings for *long pipes*. It also holds *bolts, &c.*, in a vertical, slanting or horizontal position. The *parts supplied*. CAN BE USED ON ANY VISE.



MECHANISM OF PAT. ADJUSTABLE JAW.


, and in use conforms by *automatic action* to any angle, whether it be *straight, bevelled or wedge-shaped*. The Patent Jaw, and can be *instantly* adjusted to any position, *right* (as seen in cuts).

# Prentiss' Patent Ad


(AUTOMAT

WITH STATIONARY OR PA

THEY CANNOT GE



*In the manufacture of these impleme  
quality of materials are made use of, and  
ket, and are the best Vises in use.*




# Adjustable Jaw Vises,


(PATENT ACTION)

PATENT SWIVEL BOTTOMS.


SET OUT OF ORDER.





ments only first class workmanship and best  
in finish they are superior to any in mar-



**FOR RAILROAD SHOPS, MACHINIS  
JEWEL**




**Prentiss' Patent Jewelers', Wa**




**The "JEWELERS'" and "WATCH-**  
**Square Anvil (letter C) raised on the bod**

***The "AMATEUR" is a light weight***  
***adapted to light shop work and Amateur***

**TS, MANUFACTURERS, MECHANICS,  
ERS, &c.**



**ch-makers' and Amateur Vises.**



**MAKERS' Vises are made with Cast Steel**

**2<sup>5</sup>/<sub>8</sub> in. Jaw Machinist's Vise, especially**

**S.**

# PRICE LISTS,

(March, 1882.)

## PRENTISS' PATENT VISES.

### Machinists or Iron-Workers' Vises.

Width of Jaw.	Weight. Flat Vise.	Weight. Swivel Vise.	Opens.	Price. Flat Vise.	Price. Swivel Vise.
2½ in.	13½ lbs.	17 lbs.	3½ in.	\$ 5 50	\$ 6 75
3½ in.	28 lbs.	32 lbs.	4½ in.	7 00	8 50
4½ in.	54 lbs.	65 lbs.	6 in.	10 50	12 50
5½ in.	96 lbs.	109 lbs.	8 in.	17 00	19 00
6 in.	146 lbs.	168 lbs.	9 in.	24 00	27 00
7 in.	184 lbs.	207 lbs.	11 in.	30 00	35 00

### Coach-Makers' or Wood-Workers' Vises.

3½ in.	30 lbs.	34 lbs.	7 in.	8 00	9 50
4½ in.	59 lbs.	67 lbs.	9½ in.	11 00	13 00

### Finishing or Filers' Vise.

4 in.	32 lbs.	36 lbs.	5 in.	8 00	10 00
-------	---------	---------	-------	------	-------

### Jewelers', and Watch-Makers' Vises.

1¾ in.	1½ lbs.	2 lbs.	1¾ in.	3 50	4 50
2 in.	3½ lbs.	4½ lbs.	2 in.	4 00	5 00

*In ordering always state "WIDTH OF JAW" and "FLAT" or "SWIVEL BOTTOM" as desired.*

### Vise Clamp for Table, Bench or Vessel Rail.

For 1¾ in. Swivel Vise,	\$ 75	For 3½ in. Swivel Vise,	\$2 00
For 2 in. " "	85	For 4½ in. " "	2 50
For 2½ in. " "	1 50	For 5½ in. " "	3 00

### Extra for Nickel-Plating Watch-Makers' & Jewelers' Vises.

1¾ in. Vises, \$2 25 | 2 in. Vises, \$2 50 | Clamps for same, \$1 00

### "Peerless" (Swivel Jaw) Pipe Grip.

Adapted to any Vise.

- No. 1. For 3 in. to 4¾ in. Vise, holds ¼ to 2 inch pipe, \$4 50  
 No. 2. For 5 in. to 7 in. Vise, holds ½ to 5 in. h pipe, 6 00